

ENVIRONMENTAL HEALTH BRANCH

Professor T Parry Chairman Independent Pricing **and** Regulatory Tribunal of NSW PO Box Q290 QVB Post Office **NSW** 1230

Dear Professor Parry

I am writing in relation to the review of Hunter Water Corporation's Operating Licence.

The NSW Department of Health considers it appropriate that the Operating Licence requirements for Hunter Water and Sydney Water **be made** consistent for health-related guidelines. The Department recommends **that** Hunter Water comply with the health-related guideline values of the *Australian Drinking* Water *Guidelines* 7996 (the Guidelines). Hunter Water should comply with any **revisions** of the health-related aspects of the Guidelines, where specified **by** the Department.

The Department acknowledges *the* efforts of Hunter Water in catchment management. It is desirable that the **Operating** Licence reflects the requirements of the Guidelines in relation to minimising the risk of contamination of water supplies, including catchment protection and system management. It must be noted that some catchment protection issues are outside the control of Hunter Water.

The Department recommends that the requirements of the *Memorandum* of *Understanding Between NSW Health and Hunter Wafer Corporation* be reflected in the operating Licence.

While the Department is supportive of water conservation measures, reuse targets must be realistic. **NSW** Health **must** be consulted when reuse projects are developed, so that appropriate health standards and guidelines may be applied.

Thank you for the opportunity to contribute to the review. Should officers **d** IPART require further information, I may be contacted on 9816 0292.

Yours sincerely

Paul Byleveld A/Manager Water Unit

20 September 2001

PO Box 298, Oladesvillo NSW 1875 Administration Bullding, Gladesvillo Possite' Victoria Road, Oladesvillo NSW 2111 Telephone (02) 9816 0378 Fax (02) 9816 00

20 2 P 10: 10: 20 20 P 02

ENVIROMENTAL HEALTH BR Fax:61298160377